


CABLE:FTP CAT.6 CABLE.4P*26AWG(7/0.16)(BARE COPPER.INSULATION:HD-PE.OD:0.98±0.05mm) +BLUE OUTER JACKET:PVC,OD:5.8±0.2mm. (TNT P/N:06G-R4P-T26-SH-BL)

Putting two reels in one box.




Note:

The cable is with modular(05C) in one end, and without modular in another end

NOTE:


- 1)One reel is 100M, putting two reels in one box.
- 2)One reel is connective.
(box dimension:380*380*280MM).
- 3)The two reels are put into a big waterproof bag, and then put them into the box(T-BLK-35-47-8C).

NET MECHANISM Corp www.cabling-ol.net				
SCALE	NONE		REV	A
UNIT	MM			
SHEET	1/1	DWG NO.		
DATE	10/15/10			
TITLE	CAT. 6 FTP 100M/reel			
PART NO.	BC-C6SY-BL100			



CABLE:FTP CAT.6 CABLE.4P*26AWG(7/0.16)(BARE COPPER.INSULATION:HD-PE.OD:0.98±0.05mm) +BLUE OUTER JACKET:PVC,OD:5.8±0.2mm. (TNT P/N:06G-R4P-T26-SH-BL)


Putting two reels in one box.



Note:
The cable is with modular(05C) in one end, and without modular in another end

NOTE:
1)One reel is 200M,putting two reels in one box.
2)One reel is connective.
(box dimension:380*380*280MM).
3)The two reels are put into a big waterproof bag, and then put them into the box(T-BLK-35-47-8C).


NET MECHANISM Corp www.cabling-ol.net				
SCALE	NONE		REV	A
UNIT	MM			
SHEET	1/1	DWG NO.		
DATE	10/15/10			
TITLE	CAT.6 FTP 200M/reel			
PART NO.	BC-C6SY-BL200			



305M/reel

CABLE:FTP CAT.6 CABLE.4P*26AWG(7/0.16)(BARE COPPER.INSULATION:HD-PE.OD:0.98±0.05mm) +BLUE OUTER JACKET:PVC,OD:5.8±0.2mm. (TNT P/N:06G-R4P-T26-SH-BL)

Putting one reel in one box.




Note:

The cable is with modular(05C) in one end, and without modular in another end

NOTE:


- 1)One reel is 305M,putting one reel in one box.
- 2)One reel is connective.
(box dimension:380*380*280MM).
- 3)The one reel is put into a big waterproof bag, and then put them into the box(T-BLK-35-47-8C).

NET MECHANISM Corp www.cabling-ol.net				
SCALE	NONE		REV	A
UNIT	MM			
SHEET	1/1	DWG NO.		
DATE	10/15/10			
TITLE	CAT. 6 FTP 305M/reel			
PART NO.	BC-C6SY-BL300			



CABLE:FTP CAT.6 CABLE.4P*26AWG(7/0.16)(BARE COPPER.INSULATION:HD-PE.OD:0.98±0.05mm) +GRAY OUTER JACKET:PVC,OD:5.8±0.2mm. (TNT P/N:06G-R4P-T26-SH-GY)

Putting two reels in one box.




Note:

The cable is with modular(05C) in one end, and without modular in another end

NOTE:


- 1)One reel is 100M,putting two reels in one box.
- 2)One reel is connective.
(box dimension:380*380*280MM).
- 3)The two reels are put into a big waterproof bag, and then put them into the box(T-BLK-35-47-8C).

NET MECHANISM Corp www.cabling-ol.net				
SCALE	NONE		REV	A
UNIT	MM			
SHEET	1/1	DWG NO.		
DATE	10/15/10			
TITLE		CAT. 6 FTP 100M/reel		
PART NO.		BC-C6SY-GY100		



CABLE:FTP CAT.6 CABLE.4P*26AWG(7/0.16)(BARE COPPER.INSULATION:HD-PE.OD:0.98±0.05mm) +GRAY OUTER JACKET:PVC,OD:5.8±0.2mm. (TNT P/N:06G-R4P-T26-SH-GY)

Putting two reels in one box.





Note:

The cable is with modular(05C) in one end, and without modular in another end

NOTE:


- 1)One reel is 200M, putting two reels in one box.
- 2)One reel is connective.
(box dimension:380*380*280MM).
- 3)The two reels are put into a big waterproof bag, and then put them into the box(T-BLK-35-47-8C).

NET MECHANISM Corp				
www.cabling-ol.net				
SCALE	NONE		REV	A
UNIT	MM			
SHEET	1/1	DWG NO.		
DATE	10/15/10			
TITLE	CAT. 6 FTP 200M/reel			
PART NO.	BC-C6SY-GY200			



CABLE:FTP CAT.6 CABLE.4P*26AWG(7/0.16)(BARE COPPER.INSULATION:HD-PE.OD:0.98±0.05mm) +GRAY OUTER JACKET:PVC,OD:5.8±0.2mm. (TNT P/N:06G-R4P-T26-SH-GY)

Putting one reel in one box.



Note:

The cable is with modular(05C) in one end, and without modular in another end

NOTE:

- 1)One reel is 305M,putting one reel in one box.
- 2)One reel is connective.
(box dimension:380*380*280MM).
- 3)The one reel is put into a big waterproof bag, and then put them into the box(T-BLK-35-47-8C).

NET MECHANISM Corp www.cabling-ol.net				
SCALE	NONE		REV	A
UNIT	MM			
SHEET	1/1	DWG NO.		
DATE	10/15/10			
TITLE	CAT. 6 FTP 305M/reel			
PART NO.	BC-C6SY-GY300			