



REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	First Version	2019/08/21	
B	新增長度	2019/08/28	
C	更修HDMI AF 外觀尺寸	2019/10/15	



HDMI-AMPAF-XXXX

XXXX="L"MM

- L=200.0~500.0MM, Tolerance±20.0MM
- L=501.0~1000.0MM, Tolerance±30.0MM
- L=1001.0~2000.0MM, Tolerance±40.0MM
- L=2001.0~2500.0MM, Tolerance±50.0MM
- L=2501.0MM Above, Tolerance±100.0MM

test standard:

- 100% pass open circuit, short circuit, dislocation test.
- On-resistance: 5Ω Max
- Insulation resistance: 5MΩ Min/DC200V/10ms

Cable Specifications:		Pin Assignment																																																																								
<ul style="list-style-type: none"> PVC jacket: black PVC OD φ6.0±0.2mm braid: 4/16/0.12AM PE wire: 1/0.25CuPEφ0.6 shielding: 12*0.025mmAL shielding: 6*0.025mmAL FPE wire: 1/0.25CuFPEφ0.7 drain wire: 1/0.25Cu 		<table border="1"> <thead> <tr> <th>P1</th> <th>P2</th> <th>P1</th> <th>P2</th> </tr> </thead> <tbody> <tr> <td>PIN 1</td> <td>PIN 1</td> <td>PIN 14</td> <td>PIN 14</td> </tr> <tr> <td>PIN 3</td> <td>PIN 3</td> <td>PIN 19</td> <td>PIN 19</td> </tr> <tr> <td>PIN 5</td> <td>PIN 5</td> <td>PIN 17</td> <td>PIN 17</td> </tr> <tr> <td>PIN 4</td> <td>PIN 4</td> <td>PIN 13</td> <td>PIN 13</td> </tr> <tr> <td>PIN 6</td> <td>PIN 6</td> <td>PIN 15</td> <td>PIN 15</td> </tr> <tr> <td>PIN 2</td> <td>PIN 2</td> <td>PIN 16</td> <td>PIN 16</td> </tr> <tr> <td>PIN 7</td> <td>PIN 7</td> <td>PIN 18</td> <td>PIN 18</td> </tr> <tr> <td>PIN 9</td> <td>PIN 9</td> <td></td> <td></td> </tr> <tr> <td>PIN 11</td> <td>PIN 11</td> <td></td> <td></td> </tr> <tr> <td>PIN 10</td> <td>PIN 10</td> <td></td> <td></td> </tr> <tr> <td>PIN 12</td> <td>PIN 12</td> <td></td> <td></td> </tr> <tr> <td>PIN 8</td> <td>PIN 8</td> <td></td> <td></td> </tr> </tbody> </table>	P1	P2	P1	P2	PIN 1	PIN 1	PIN 14	PIN 14	PIN 3	PIN 3	PIN 19	PIN 19	PIN 5	PIN 5	PIN 17	PIN 17	PIN 4	PIN 4	PIN 13	PIN 13	PIN 6	PIN 6	PIN 15	PIN 15	PIN 2	PIN 2	PIN 16	PIN 16	PIN 7	PIN 7	PIN 18	PIN 18	PIN 9	PIN 9			PIN 11	PIN 11			PIN 10	PIN 10			PIN 12	PIN 12			PIN 8	PIN 8			<table border="1"> <thead> <tr> <th>P1</th> <th>P2</th> </tr> </thead> <tbody> <tr> <td>PIN 14</td> <td>PIN 14</td> </tr> <tr> <td>PIN 19</td> <td>PIN 19</td> </tr> <tr> <td>PIN 17</td> <td>PIN 17</td> </tr> <tr> <td>PIN 13</td> <td>PIN 13</td> </tr> <tr> <td>PIN 15</td> <td>PIN 15</td> </tr> <tr> <td>PIN 16</td> <td>PIN 16</td> </tr> <tr> <td>PIN 18</td> <td>PIN 18</td> </tr> <tr> <td>SHELL</td> <td>SHELL</td> </tr> </tbody> </table>		P1	P2	PIN 14	PIN 14	PIN 19	PIN 19	PIN 17	PIN 17	PIN 13	PIN 13	PIN 15	PIN 15	PIN 16	PIN 16	PIN 18	PIN 18	SHELL	SHELL
P1	P2	P1	P2																																																																							
PIN 1	PIN 1	PIN 14	PIN 14																																																																							
PIN 3	PIN 3	PIN 19	PIN 19																																																																							
PIN 5	PIN 5	PIN 17	PIN 17																																																																							
PIN 4	PIN 4	PIN 13	PIN 13																																																																							
PIN 6	PIN 6	PIN 15	PIN 15																																																																							
PIN 2	PIN 2	PIN 16	PIN 16																																																																							
PIN 7	PIN 7	PIN 18	PIN 18																																																																							
PIN 9	PIN 9																																																																									
PIN 11	PIN 11																																																																									
PIN 10	PIN 10																																																																									
PIN 12	PIN 12																																																																									
PIN 8	PIN 8																																																																									
P1	P2																																																																									
PIN 14	PIN 14																																																																									
PIN 19	PIN 19																																																																									
PIN 17	PIN 17																																																																									
PIN 13	PIN 13																																																																									
PIN 15	PIN 15																																																																									
PIN 16	PIN 16																																																																									
PIN 18	PIN 18																																																																									
SHELL	SHELL																																																																									

BOM LIST	
NO.	SPECIFICATIONS
1	HDMI2.0V30AWG OD:6.0 (1/0.25Cu*1P+1/0.25Cu)*5+1/0.25Cu*4C+D1/0.25Cu+64AM
2	45P PVC, color:black
3	Inner Molding:Transparent PE
4	HDMI 19 Pin male gold plated connector
5	Nut: 銅料φ5.0*L5.6, M3
6	HDMI 19 Pin female gold plated connector

X±	X°± °	NAME: FI	PART NO.: HDMI-AMPAF-XXXX			TITLE: HDMI V2.0 19P A/M to HDMI A/F, (M3銅螺母) PVC Molding.		
.X±	.X°± °							
.XX±	.XX°± °	UNITS: MM	2019/10/15 2019/10/15 2019/10/15			DWG NO.:		
.XXX±	.XXX°± °							
		APPD BY	CHECK BY	DRAWN BY	SCALE	SHEET	REV.	
					NONE	1/2	C	